


FY 2019 - FY 2022  
 APS Elementary Schools Site Energy Intensities



<b>Abingdon Elementary School</b>		
<b>Address</b>	3035 S. Abingdon St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	110,830	
<b>Year Built / Major Renovation</b>	1950/1964/1971/1991/2017	
<b>Annual Electric Usage (kWh)</b>	2019	960,366
	2020	807,159
	2021	802,238
	2022	1,008,247
<b>Annual Natural Gas Usage (therms)</b>	2019	12,252
	2020	12,439
	2021	11,673
	2022	12,845
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	42
	2020	38
	2021	35
	2022	43
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	98
	2020	85
	2021	80
	2022	95
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	361
	2020	296
	2021	290
	2022	355
<b>Water (Gal)</b>	2019	1,122,300
	2020	503,400
	2021	280,700
	2022	924,800
<b>Building Energy Notes</b>	4 Relocatables onsite. 197 kW solar PV system installed May 2022.	

<b>Alice West Fleet</b>		
<b>Address</b>	115 S Old Glebe Road	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	111,634	
<b>Year Built / Major Renovation</b>	2019	
<b>Annual Electric Usage (kWh)</b>	2020	716,877
	2021	622,648
	2022	744,199
<b>Annual Natural Gas Usage (therms)</b>	2020	0
	2021	0
	2022	0
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2020	22
	2021	19
	2022	23
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2020	55
	2021	38
	2022	46
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2020	169
	2021	96
	2022	122
<b>Water (Gal)</b>	2020	396,200
	2021	76,300
	2022	405,300
<b>Building Energy Notes</b>	Certified Net Zero Energy School.	

<b>Arlington Traditional Elementary School</b>		
<b>Address</b>	1030 N. McKinley Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	95,479	
<b>Year Built / Major Renovation</b>	1951/1971/1995/2015/2021	
<b>Annual Electric Usage (kWh)</b>	2019	841,765
	2020	725,103
	2021	649,088
	2022	691,898
<b>Annual Natural Gas Usage (therms)</b>	2019	23,424
	2020	22,268
	2021	21,219
	2022	25,205
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	55
	2020	49
	2021	45
	2022	51
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	110
	2020	97
	2021	88
	2022	97
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	384
	2020	324
	2021	297
	2022	330
<b>Water (Gal)</b>	2019	780,700
	2020	541,600
	2021	209,300
	2022	702,300
<b>Building Energy Notes</b>	6 Relocatables onsite. Before fiscal year 2022, this building was home to McKinley Elementary School.	

<b>Ashlawn Elementary School</b>		
<b>Address</b>	5950 N. 8th Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	101,205	
<b>Year Built / Major Renovation</b>	1956/1968/1990/1994/2000/2014	
<b>Annual Electric Usage (kWh)</b>	2019	912,680
	2020	847,414
	2021	773,791
	2022	934,764
<b>Annual Natural Gas Usage (therms)</b>	2019	23,246
	2020	15,484
	2021	21,446
	2022	18,975
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	55
	2020	43
	2021	47
	2022	50
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	113
	2020	95
	2021	94
	2022	108
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	405
	2020	323
	2021	334
	2022	366
<b>Water (Gal)</b>	2019	1,087,700
	2020	1,005,700
	2021	653,900
	2022	1,207,200
<b>Building Energy Notes</b>	4 Relocatables onsite.	

<b>Barcroft Elementary School</b>		
<b>Address</b>	625 S Wakefield St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	76,260	
<b>Year Built / Major Renovation</b>	1924/1943/1946/1953/1975/1992	
<b>Annual Electric Usage (kWh)</b>	2019	773,280
	2020	685,030
	2021	695,988
	2022	770,878
<b>Annual Natural Gas Usage (therms)</b>	2019	20,653
	2020	19,330
	2021	18,605
	2022	18,046
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	63
	2020	56
	2021	56
	2022	58
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	128
	2020	112
	2021	113
	2022	121
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	348
	2020	297
	2021	297
	2022	315
<b>Water (Gal)</b>	2019	846,400
	2020	653,800
	2021	245,700
	2022	713,100
<b>Building Energy Notes</b>	8 Relocatables onsite.	

<b>Barrett Elementary School</b>		
<b>Address</b>	4401 N. Henderson Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	79,872	
<b>Year Built / Major Renovation</b>	1939/1946/1950/1975/1994/2001	
<b>Annual Electric Usage (kWh)</b>	2019	787,890
	2020	660,932
	2021	590,215
	2022	800,837
<b>Annual Natural Gas Usage (therms)</b>	2019	27,766
	2020	20,814
	2021	21,971
	2022	23,465
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	68
	2020	54
	2021	53
	2022	64
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	131
	2020	106
	2021	100
	2022	127
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	390
	2020	298
	2021	284
	2022	352
<b>Water (Gal)</b>	2019	1,065,300
	2020	672,700
	2021	233,800
	2022	726,200
<b>Building Energy Notes</b>	4 Relocatables onsite.	

<b>Campbell Elementary School</b>		
<b>Address</b>	737 S. Carlin Springs Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	74,511	
<b>Year Built / Major Renovation</b>	1955/1964/1991/2002	
<b>Annual Electric Usage (kWh)</b>	2019	723,600
	2020	598,680
	2021	540,720
	2022	735,456
<b>Annual Natural Gas Usage (therms)</b>	2019	18,412
	2020	19,050
	2021	21,085
	2022	19,593
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	59
	2020	53
	2021	53
	2022	60
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	120
	2020	104
	2021	99
	2022	122
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	321
	2020	272
	2021	266
	2022	313
<b>Water (Gal)</b>	2019	1,009,000
	2020	561,800
	2021	318,900
	2022	748,300
<b>Building Energy Notes</b>	3 Relocatables onsite.	



**Cardinal Elementary School/Westover Library****Address** 1644 McKinley Road**Building Use** Elementary School/Library**Current Size (f<sup>2</sup>)** 128,377**Year Built / Major Renovation** 2021

<b>Annual Electric Usage (kWh)</b>	2019	887,550
	2020	634,382
	2021	1,232,820
	2022	1,016,280

<b>Annual Natural Gas Usage (therms)</b>	2019	5,598
	2020	288
	2021	33
	2022	950

<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	58
	2020	17
	2021	33
	2022	28

<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	147.4
	2020	47
	2021	92
	2022	76

<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	303
	2020	182
	2021	350
	2022	294

<b>Water (Gal)</b>	2019	735,200
	2020	654,400
	2021	570,300
	2022	940,700

**Building Energy Notes** Cardinal Elementary designed as a net zero energy school. Before fiscal year 2022, this building was home to the Pre-K Integration Program.

<b>Carlin Springs Elementary School</b>		
<b>Address</b>	5995 S. 5th Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	90,945	
<b>Year Built / Major Renovation</b>	2001	
<b>Annual Electric Usage (kWh)</b>	2019	1,292,077
	2020	1,063,902
	2021	923,949
	2022	1,220,519
<b>Annual Natural Gas Usage (therms)</b>	2019	32,919
	2020	33,305
	2021	35,713
	2022	32,820
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	85
	2020	77
	2021	74
	2022	82
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	174
	2020	150
	2021	138
	2022	166
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	573
	2020	480
	2021	452
	2022	521
<b>Water (Gal)</b>	2019	1,208,400
	2020	937,700
	2021	404,100
	2022	1,132,800
<b>Building Energy Notes</b>	4 Relocatables onsite. Electricity usage includes soccer field stadium lights.	

<b>Claremont Elementary School</b>		
<b>Address</b>	4700 S. Chesterfield Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	82,782	
<b>Year Built / Major Renovation</b>	1952/1964/1994/2003	
<b>Annual Electric Usage (kWh)</b>	2019	953,108
	2020	797,705
	2021	644,869
	2022	966,198
<b>Annual Natural Gas Usage (therms)</b>	2019	21,852
	2020	28,934
	2021	784
	2022	490
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	66
	2020	68
	2021	28
	2022	40
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	138
	2020	129
	2021	75
	2022	112
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	411
	2020	381
	2021	187
	2022	277
<b>Water (Gal)</b>	2019	1,597,400
	2020	1,123,200
	2021	352,600
	2022	1,412,000
<b>Building Energy Notes</b>	7 Relocatables onsite.	

<b>Discovery Elementary School</b>		
<b>Address</b>	5241 N. 36th Street	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	97,588	
<b>Year Built / Major Renovation</b>	2015	
<b>Annual Electric Usage (kWh)</b>	2019	514,431
	2020	409,363
	2021	398,336
	2022	524,248
<b>Annual Natural Gas Usage (therms)</b>	2019	0
	2020	0
	2021	0
	2022	0
<b>Site Energy Intensity (kBtUs/f<sup>2</sup>)</b>	2019	18
	2020	14
	2021	14
	2022	18
<b>Source Energy Intensity (kBtUs/f<sup>2</sup>)</b>	2019	36
	2020	28
	2021	28
	2022	37
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	102
	2020	61
	2021	61
	2022	84
<b>Water (Gal)</b>	2019	601,200
	2020	371,000
	2021	164,500
	2022	548,200
<b>Building Energy Notes</b>	Operating as a Zero Net Energy School. Energy Star Certified with a score of 100. 497 kW solar PV system.	

<b>Drew Elementary School</b>		
<b>Address</b>	3500 S. 23rd St.	
<b>Building Use</b>	Elementary School & Community Center	
<b>Current Size (f<sup>2</sup>)</b>	101,679	
<b>Year Built / Major Renovation</b>	1944/1964/2001/2019	
<b>Annual Electric Usage (kWh)</b>	2019	1,199,650
	2020	871,070
	2021	759,761
	2022	891,000
<b>Annual Natural Gas Usage (therms)</b>	2019	18,184
	2020	20,155
	2021	20,769
	2022	20,702
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	59
	2020	49
	2021	46
	2022	50
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	132
	2020	103
	2021	93
	2022	105
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	467
	2020	355
	2021	326
	2022	363
<b>Water (Gal)</b>	2019	1,810,200
	2020	1,230,800
	2021	1,012,500
	2022	1,284,300
<b>Building Energy Notes</b>	Joint Use Facility - School and Community Center. 1 Relocatable onsite.	

<b>Escuela Key</b>		
<b>Address</b>	855 N. Edison St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	85,661	
<b>Year Built / Major Renovation</b>	1926/1931/1948/1952/1969/1980/1995/2003/ 2021	
<b>Annual Electric Usage (kWh)</b>	2019	1,048,562
	2020	932,373
	2021	633,700
	2022	663,384
<b>Annual Natural Gas Usage (therms)</b>	2019	31,854
	2020	25,452
	2021	25,124
	2022	18,786
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	83
	2020	67
	2021	55
	2022	48
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	164
	2020	135
	2021	102
	2022	97
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	493
	2020	401
	2021	314
	2022	288
<b>Water (Gal)</b>	2019	937,800
	2020	841,900
	2021	255,700
	2022	748,800
<b>Building Energy Notes</b>	8 Relocatables onsite. Before fiscal year 2022, this building was home to Arlington Traditional School.	

<b>Glebe Elementary School</b>		
<b>Address</b>	1770 N. Glebe Rd	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	87,089	
<b>Year Built / Major Renovation</b>	1971/1990/2004	
<b>Annual Electric Usage (kWh)</b>	2019	1,108,917
	2020	1,003,615
	2021	1,114,560
	2022	1,152,950
<b>Annual Natural Gas Usage (therms)</b>	2019	40,907
	2020	12,019
	2021	23,519
	2022	23,653
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	90
	2020	53
	2021	71
	2022	72
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	171
	2020	125
	2021	151
	2022	155
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	559
	2020	351
	2021	442
	2022	453
<b>Water (Gal)</b>	2019	996,100
	2020	716,600
	2021	428,200
	2022	1,151,900
<b>Building Energy Notes</b>	4 Relocatables onsite. 1.1 kW solar PV System.	

<b>Hoffman-Boston Elementary School &amp; Carver Community Center</b>		
<b>Address</b>	1415 S. Queen St.	
<b>Building Use</b>	Elementary School & Community Center	
<b>Current Size (f<sup>2</sup>)</b>	108,135	
<b>Year Built / Major Renovation</b>	1916/1932/1952/1959/1975/1999	
<b>Annual Electric Usage (kWh)</b>	2019	1,320,860
	2020	1,137,290
	2021	1,015,390
	2022	1,229,048
<b>Annual Natural Gas Usage (therms)</b>	2019	30,789
	2020	36,265
	2021	42,092
	2022	42,448
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	70
	2020	70
	2021	71
	2022	78
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	147
	2020	136
	2021	131
	2022	150
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	572
	2020	516
	2021	513
	2022	575
<b>Water (Gal)</b>	2019	1,064,100
	2020	813,600
	2021	364,900
	2022	1,155,200
<b>Building Energy Notes</b>	Joint Use Facility - School and Community Center.	



<b>Innovation Elementary School</b>		
<b>Address</b>	2300 Key Blvd	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	88,817	
<b>Year Built / Major Renovation</b>	1968/1999/2021	
<b>Annual Electric Usage (kWh)</b>	2019	1,194,779
	2020	1,033,383
	2021	844,957
	2022	701,733
<b>Annual Natural Gas Usage (therms)</b>	2019	33,163
	2020	22,676
	2021	23,710
	2022	20,499
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	83
	2020	65
	2021	59
	2022	50
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	168
	2020	138
	2021	119
	2022	100
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	545
	2020	414
	2021	366
	2022	308
<b>Water (Gal)</b>	2019	1,134,400
	2020	796,400
	2021	264,300
	2022	755,100
<b>Building Energy Notes</b>	4 Relocatables onsite. Before fiscal year 2022, this building was home to Key Elementary School.	

<b>Jamestown Elementary School</b>		
<b>Address</b>	3700 N. Delaware St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	75,899	
<b>Year Built / Major Renovation</b>	1953/1957/1965/1993/2004	
<b>Annual Electric Usage (kWh)</b>	2019	893,119
	2020	701,098
	2021	642,820
	2022	838,980
<b>Annual Natural Gas Usage (therms)</b>	2019	15,253
	2020	13,139
	2021	16,356
	2022	18,659
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	60
	2020	49
	2021	50
	2022	62
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	134
	2020	107
	2021	104
	2022	131
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	356
	2020	270
	2021	270
	2022	337
<b>Water (Gal)</b>	2019	1,130,200
	2020	744,700
	2021	359,800
	2022	996,900
<b>Building Energy Notes</b>		

**Longbranch Elementary School****Address** 33 N. Fillmore St.**Building Use** Elementary**Current Size (f<sup>2</sup>)** 74,954**Year Built / Major Renovation** 1973/1996

<b>Annual Electric Usage (kWh)</b>	2019	791,042
	2020	705,713
	2021	597,486
	2022	734,208

<b>Annual Natural Gas Usage (therms)</b>	2019	18,529
	2020	16,208
	2021	15,723
	2022	21,486

<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	61
	2020	54
	2021	48
	2022	62

<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	127
	2020	113
	2021	98
	2022	124

<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	343
	2020	287
	2021	254
	2022	323

<b>Water (Gal)</b>	2019	925,600
	2020	697,900
	2021	238,400
	2022	552,900

**Building Energy Notes** 4 Relocatables onsite.

<b>Montessori Public School of Arlington</b>		
<b>Address</b>	701 S. Highland St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	61,488	
<b>Year Built / Major Renovation</b>	1975/1994/2019	
<b>Annual Electric Usage (kWh)</b>	2019	837,372
	2020	528,097
	2021	489,984
	2022	563,251
<b>Annual Natural Gas Usage (therms)</b>	2019	7,723
	2020	7,282
	2021	7,396
	2022	8,097
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	51
	2020	41
	2021	39
	2022	44
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	123
	2020	95
	2021	89
	2022	101
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	299
	2020	189
	2021	179
	2022	203
<b>Water (Gal)</b>	2019	4,198,800
	2020	670,700
	2021	368,200
	2022	1,606,700
<b>Building Energy Notes</b>	In fiscal year 2019, this building housed the Patrick Henry Elementary School.	

<b>Nottingham Elementary School</b>		
<b>Address</b>	5900 Little Falls Rd.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	76,008	
<b>Year Built / Major Renovation</b>	1952/1962/1992/1997/2006	
<b>Annual Electric Usage (kWh)</b>	2019	788,017
	2020	720,534
	2021	645,568
	2022	757,797
<b>Annual Natural Gas Usage (therms)</b>	2019	30,409
	2020	17,352
	2021	21,979
	2022	18,812
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	80
	2020	56
	2021	58
	2022	59
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	149
	2020	115
	2021	112
	2022	121
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	404
	2020	299
	2021	300
	2022	315
<b>Water (Gal)</b>	2019	905,300
	2020	476,300
	2021	276,500
	2022	627,200
<b>Building Energy Notes</b>	5 Relocatables onsite.	

<b>Oakridge Elementary School</b>		
<b>Address</b>	1414 S. 24th St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	90,910	
<b>Year Built / Major Renovation</b>	1950/1957/1971/1999	
<b>Annual Electric Usage (kWh)</b>	2019	1,064,824
	2020	790,855
	2021	598,995
	2022	940,047
<b>Annual Natural Gas Usage (therms)</b>	2019	25,333
	2020	18,416
	2021	26,691
	2022	29,963
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	68
	2020	50
	2021	52
	2022	68
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	141
	2020	104
	2021	94
	2022	133
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	464
	2020	323
	2021	312
	2022	426
<b>Water (Gal)</b>	2019	1,262,400
	2020	769,100
	2021	246,800
	2022	1,120,400
<b>Building Energy Notes</b>	9 Relocatables onsite.	

<b>Randolph Elementary School</b>		
<b>Address</b>	1306 S. Quincy St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	72,608	
<b>Year Built / Major Renovation</b>	1947/1950/1962/1975/1993	
<b>Annual Electric Usage (kWh)</b>	2019	827,472
	2020	531,180
	2021	400,832
	2022	590,034
<b>Annual Natural Gas Usage (therms)</b>	2019	19,535
	2020	14,876
	2021	17,099
	2022	19,361
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	66
	2020	46
	2021	42
	2022	54
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	137
	2020	92
	2021	78
	2022	106
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	359
	2020	230
	2021	205
	2022	270
<b>Water (Gal)</b>	2019	1,359,300
	2020	688,800
	2021	281,300
	2022	1,046,000
<b>Building Energy Notes</b>	2 Relocatables onsite.	

<b>Arlington Science Focus Elementary School</b>		
<b>Address</b>	1501 N. Lincoln St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	74,007	
<b>Year Built / Major Renovation</b>	1953/1991/2000	
<b>Annual Electric Usage (kWh)</b>	2019	932,975
	2020	757,162
	2021	688,847
	2022	825,667
<b>Annual Natural Gas Usage (therms)</b>	2019	18,304
	2020	17,201
	2021	21,194
	2022	21,953
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	68
	2020	58
	2021	58
	2022	68
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	147
	2020	122
	2021	113
	2022	138
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	385
	2020	307
	2021	310
	2022	351
<b>Water (Gal)</b>	2019	1,020,100
	2020	826,800
	2021	380,400
	2022	805,400
<b>Building Energy Notes</b>	6 Relocatables onsite.	



<b>Taylor Elementary School</b>		
<b>Address</b>	2600 N. Stuart St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	86,308	
<b>Year Built / Major Renovation</b>	1953/1962/1971/1994/2013	
<b>Annual Electric Usage (kWh)</b>	2019	841,112
	2020	765,758
	2021	806,940
	2022	921,522
<b>Annual Natural Gas Usage (therms)</b>	2019	5,424
	2020	4,904
	2021	4,561
	2022	6,581
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	41
	2020	36
	2021	37
	2022	44
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	102
	2020	91
	2021	95
	2022	110
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	289
	2020	244
	2021	253
	2022	297
<b>Water (Gal)</b>	2019	1,515,200
	2020	1,354,700
	2021	1,314,300
	2022	1,640,500
<b>Building Energy Notes</b>	6 Relocatables onsite.	

<b>Tuckahoe Elementary School</b>		
<b>Address</b>	6650 N. 26th St.	
<b>Building Use</b>	Elementary	
<b>Current Size (f<sup>2</sup>)</b>	73,885	
<b>Year Built / Major Renovation</b>	1953/1999	
<b>Annual Electric Usage (kWh)</b>	2019	735,321
	2020	515,435
	2021	503,892
	2022	649,790
<b>Annual Natural Gas Usage (therms)</b>	2019	16,715
	2020	15,351
	2021	19,115
	2022	19,143
<b>Site Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	57
	2020	45
	2021	49
	2022	56
<b>Source Energy Intensity (kBTUs/f<sup>2</sup>)</b>	2019	119
	2020	89
	2021	92
	2022	111
<b>Carbon Footprint (Mt CO<sub>2</sub>E)</b>	2019	315
	2020	228
	2021	245
	2022	286
<b>Water (Gal)</b>	2019	652,400
	2020	749,600
	2021	197,900
	2022	872,900
<b>Building Energy Notes</b>	4 Relocatables onsite. 36.5 kW solar PV system.	